



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/787,521	02/26/2004	Kent F. Hayes JR.	RSW920030231US1	6458
23550 HOFFMAN W	7590 05/17/200 ARNICK & D'ALESS	•	EXAM	INER
75 STATE STI 14TH FLOOR		·····	NAHAR, (QAMRUN
ALBANY, NY	12207		ART UNIT	PAPER NUMBER
·			2191	•
			MAIL DATE	DELIVERY MODE
			05/17/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

,	Application No.	Applicant(s)
	10/787,521	HAYES, KENT F.
Office Action Summary	Examiner	Art Unit
	Qamrun Nahar	2191
The MAILING DATE of this communication	n appears on the cover sheet w	ith the correspondence address
Period for Reply		
A SHORTENED STATUTORY PERIOD FOR R WHICHEVER IS LONGER, FROM THE MAILIN - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicatic - If NO period for reply is specified above, the maximum statutory p - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	IG DATE OF THIS COMMUNI FR 1.136(a). In no event, however, may a con. period will apply and will expire SIX (6) MOI statute, cause the application to become A	CATION. reply be timely filed VTHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on	26 February 2004.	
	This action is non-final.	
3) Since this application is in condition for al	lowance except for formal mat	ters, prosecution as to the merits is
closed in accordance with the practice un	der <i>Ex parte Quayle</i> , 1935 C.	D. 11, 453 O.G. 213.
Disposition of Claims		
4)⊠ Claim(s) <u>1-36</u> is/are pending in the application	ation	
4a) Of the above claim(s) is/are with		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-36</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction a	and/or election requirement.	
Application Papers		
9)⊠ The specification is objected to by the Exa	nminer	
10) ☐ The specification is objected to by the Exa		objected to by the Examiner
Applicant may not request that any objection to		
Replacement drawing sheet(s) including the c		
11) The oath or declaration is objected to by the		, , ,
Priority under 35 U.S.C. § 119		
i nonty under ou ololol 2 119		S 110(a) (d) or (f)
12) Acknowledgment is made of a claim for fo	reign priority under 25 II C C	9 1 1214 PRODUCE OF THE
12) Acknowledgment is made of a claim for fo	reign priority under 35 U.S.C.	, , , , , , , , , , , , , , , , , , , ,
a) All b) Some * c) None of:		, , , , , , , , , , , , , , , , , , , ,
a) All b) Some * c) None of:	ments have been received.	
a) All b) Some * c) None of: 1. Certified copies of the priority documents	ments have been received. ments have been received in A	Application No
a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents.	ments have been received. ments have been received in A e priority documents have beer	Application No
a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the	ments have been received. ments have been received in A e priority documents have beer ureau (PCT Rule 17.2(a)).	Application No received in this National Stage
a) All b) Some * c) None of: 1. Certified copies of the priority documents of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the application from the International B	ments have been received. ments have been received in A e priority documents have beer ureau (PCT Rule 17.2(a)).	Application No received in this National Stage
a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the application from the International Between the attached detailed Office action for Attachment(s)	ments have been received. ments have been received in A e priority documents have been ureau (PCT Rule 17.2(a)). a list of the certified copies not	Application No received in this National Stage received.
 a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the application from the International B 	ments have been received. ments have been received in Assertion priority documents have been received in Assertion (PCT Rule 17.2(a)). a list of the certified copies not	Application No received in this National Stage

DETAILED ACTION

1. Claims 1-36 have been examined.

Information Disclosure Statement

2. The information disclosure statement filed on 02/26/2004 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered. That is, some of the non-patent literature publications have not been considered because the full articles have not been provided.

Specification

- 3. The abstract of the disclosure is objected to because "Under **then** present invention" on line 1 of the abstract should be "Under **the** present invention". Correction is required. See MPEP § 608.01(b).
- 4. The abstract of the disclosure is objected to because the abbreviation "OSGi" on line 1 of the abstract should be spelled out first. Correction is required. See MPEP § 608.01(b).
- 5. The disclosure is objected to because of the following informalities: "under **then** present invention" on line 3 of par. 0005 on pg. 2 should be "under **the** present invention".

Appropriate correction is required.

Art Unit: 2191

6. The use of the trademark OSGI has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

7. The use of the trademark WIN32 has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claim Objections

- 8. Claim 15 is objected to because of the following informalities: "wherein control system controls issues" on line 1 of the claim should be "wherein the control system for controlling issues". Appropriate correction is required.
- 9. Claim 17 is objected to because of the following informalities: "for deploying the OSGi bundle **is deployed** within the native environment" on lines 1-2 of the claim should be "for deploying the OSGi bundle within the native environment". Appropriate correction is required.

Application/Control Number: 10/787,521 Page 4

Art Unit: 2191

Claim Rejections - 35 USC § 112

10. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

11. Claims 1-36 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter which applicant regards as

the invention.

12. Claims 1, 4-11, 13, 15, 17, 20, 23, 25, 27, 29, 31 and 34 contain the trademark/trade

name OSGI. Where a trademark or trade name is used in a claim as a limitation to identify or

describe a particular material or product, the claim does not comply with the requirements of 35

U.S.C. 112, second paragraph. See Ex parte Simpson, 218 USPQ 1020 (Bd. App. 1982). The

claim scope is uncertain since the trademark or trade name cannot be used properly to identify

any particular material or product. A trademark or trade name is used to identify a source of

goods, and not the goods themselves. Thus, a trademark or trade name does not identify or

describe the goods associated with the trademark or trade name. In the present case, the

trademark/trade name is used to identify/describe bundles and, accordingly, the

identification/description is indefinite.

Claims 2-7, 9-12, 14-22, 24-26 and 28-36 are rejected for dependency upon rejected base

claims 1, 8, 13, 23 and 27, respectively, above.

13. Claims 5 and 11 contain the trademark/trade name WIN32. Where a trademark or trade

name is used in a claim as a limitation to identify or describe a particular material or product, the

Application/Control Number: 10/787,521 Page 5

Art Unit: 2191

claim does not comply with the requirements of 35 U.S.C. 112, second paragraph. See *Ex parte Simpson*, 218 USPQ 1020 (Bd. App. 1982). The claim scope is uncertain since the trademark or trade name cannot be used properly to identify any particular material or product. A trademark or trade name is used to identify a source of goods, and not the goods themselves. Thus, a trademark or trade name does not identify or describe the goods associated with the trademark or trade name. In the present case, the trademark/trade name is used to identify/describe application programming interface in Windows 95 and Windows NT and, accordingly, the identification/description is indefinite.

14. Claim 15 recites the limitation "the client" in line 3 of the claim. There is insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "the client device".

Claim 16 is rejected for dependency upon rejected base claim 15 above.

15. Claim 15 recites the limitation "the command" in line 4 of the claim. There is insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "the life cycle command".

Claim 16 is rejected for dependency upon rejected base claim 15 above.

16. Claim 18 recites the limitation "the server" in line 1 of the claim. There is insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "a server".

Art Unit: 2191

17. Claim 21 recites the limitation "the server" in line 1 of the claim. There is insufficient

Page 6

antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "a

server".

18. Claim 25 recites the limitation "the client" in line 3 of the claim. There is insufficient

antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "the

client device".

19. Claim 25 recites the limitation "the command" in line 4 of the claim. There is

insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is

interpreted as "the life cycle command".

20. Claim 29 recites the limitation "the client" in line 3 of the claim. There is insufficient

antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "the

client device".

Claim 30 is rejected for dependency upon rejected base claim 29 above.

21. Claim 29 recites the limitation "the command" in line 4 of the claim. There is

insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is

interpreted as "the life cycle command".

Claim 30 is rejected for dependency upon rejected base claim 29 above.

Art Unit: 2191

22. Claim 32 recites the limitation "the server" in lines 1-2 of the claim. There is insufficient antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "a

Page 7

server".

23. Claim 35 recites the limitation "the server" in lines 1-2 of the claim. There is insufficient

antecedent basis for this limitation in the claim. Therefore, this limitation is interpreted as "a

server".

Claim Rejections - 35 USC § 101

24. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

25. Claims 8-11 and 13-25 are rejected under 35 U.S.C. 101 because the claimed invention is

directed to non-statutory subject matter.

26. Claim 8 appears to fail to produce concrete, tangible and useful result. That is, the step of

"managing a life cycle ..." fails to produce concrete, tangible and useful result.

Claims 9-11 are rejected for failing to cure the deficiencies of the above rejected non-

statutory claim 8.

27. Claim 13 appears to be a system of software alone, lacking the necessary physical

components (hardware) to constitute a machine or a manufacture under 101. Since claim 13 is

Art Unit: 2191

clearly not a process or a composition of matter, it appears to fail to fall within a statutory category and thus non-statutory.

Claims 14-22 are rejected for failing to cure the deficiencies of the above rejected non-statutory claim 13.

28. Claim 23 appears to fail to produce concrete, tangible and useful result. That is, the step of "means for managing a life cycle ..." fails to produce concrete, tangible and useful result.

Claims 24-25 are rejected for failing to cure the deficiencies of the above rejected non-statutory claim 23.

Claim Rejections - 35 USC § 102

29. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 30. Claims 1-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Bansal (US 2003/0191823).

Per Claim 1:

Art Unit: 2191

ζ,

- packaging a native application within an OSGi bundle to create a link between the OSGi bundle and the native application ("... The Active Framework system and method of the present inventions hosts services that are packaged as bundles, which are containers ... that includes executable as well as non-executables resources for a service. An exemplary bundle comprises Java class files, native library files ..." in par. 0041, lines 1-17; and "... there is illustrated an exemplary embodiment of a bundle packaging. A bundle may contain many types of files. If the service packaged inside the bundle was originally developed in a programming language, e.g., C, C++, etc., then it may include one or more native modules ... These Java classes and the class files or C-coded native modules of the service are packaged into a JAR file. ..." in par. 0116, lines 1-17)

Page 9

- installing the OSGi bundle within an OSGi environment of a client device after the packaging ("Installing A Service Bundle" in par. 0137, line 1 and "... a service bundle including a new embedded service, is available within a SMS ... the SMS instructs Active Framework resident on the SMS ... to install a network service on the network device." in par. 0139, lines 1-8)
- deploying the OSGi bundle within a native environment of the client device ("... service is packaged in a "bundle" ... so that it can be deployed in the hosting environment ..." in par. 0041, lines 1-4)

Art Unit: 2191

- and controlling the native application within the native environment using the OSGi

bundle within the OSGi environment ("... service life-cycle events, e.g. when a service is

installed by Active Framework, when a service is upgraded by Active Framework, before a

service is uninstalled by Active Framework, when a service is started by Active Framework,

before a service is stopped by Active Framework ..." in par. 0049, lines 1-11).

Per Claim 2:

The Bansal publication discloses:

- wherein the controlling step comprises managing a life cycle of the native application (par.

0049, lines 6-11).

Per Claim 3:

The Bansal publication discloses:

- wherein the managing step comprises performing an action selected from the group

consisting of starting the native application, stopping the native application, installing the

native application and uninstalling the native application (par. 0049, lines 6-11).

Per Claim 4:

Art Unit: 2191

il Control I validoti. 10/70/,52

- wherein the managing step comprises: issuing a life cycle command from a management

Page 11

program loaded on a server; receiving the life cycle command in the OSGi bundle on the

client device; and executing the life cycle command on the native application through an

agent on the client device (par. 0139, lines 1-8).

Per Claim 5:

The Bansal publication discloses:

- wherein the agent is a WIN-32 agent within the OSGi environment and wherein the

native application is a WIN-32 application (par. 0040, lines 1-10 and par. 0139, lines 1-8).

Per Claim 6:

The Bansal publication discloses:

- wherein the native application is packaged within the OSGi bundle on a server, and

wherein the installing step comprises exporting the OSGi bundle from the server to the

client device (par. 0047, lines 1-12).

Per Claim 7:

Marian Control

Art Unit: 2191

;

- further comprising removing the native application from within the OSGi bundle while maintaining the link, after the deploying step (par. 0144, lines 1-6).

Per Claim 8:

The Bansal publication discloses:

- packaging a native application within an OSGi bundle on a server to create a link between the OSGi bundle and the native application ("... The Active Framework system and method of the present inventions hosts services that are packaged as bundles, which are containers ... that includes executable as well as non-executables resources for a service. An exemplary bundle comprises Java class files, native library files ..." in par. 0041, lines 1-17; and "... there is illustrated an exemplary embodiment of a bundle packaging. A bundle may contain many types of files. If the service packaged inside the bundle was originally developed in a programming language, e.g., C, C++, etc., then it may include one or more native modules ... These Java classes and the class files or C-coded native modules of the service are packaged into a JAR file. ..." in par. 0116, lines 1-17; and see par. 0047, lines 1-12)

- installing the OSGi bundle within an OSGi environment of a client device after the packaging ("Installing A Service Bundle" in par. 0137, line 1 and "... a service bundle including a new embedded service, is available within a SMS ... the SMS instructs Active Framework resident on the SMS ... to install a network service on the network device." in par. 0139, lines 1-

Application/Control Number: 10/787,521 Page 13

Art Unit: 2191

- deploying the OSGi bundle within a native environment of the client device ("... service is

packaged in a "bundle" ... so that it can be deployed in the hosting environment ..." in par.

0041, lines 1-4)

- removing the native application from within the OSGi bundle while maintaining the link

("... uninstalled ..." in par. 0144, lines 1-6)

- and managing a life cycle of the native application within the native environment using

the OSGi bundle within the OSGi environment ("... service life-cycle events, e.g. when a

service is installed by Active Framework, when a service is upgraded by Active Framework,

before a service is uninstalled by Active Framework, when a service is started by Active

Framework, before a service is stopped by Active Framework ..." in par. 0049, lines 1-11).

Per Claim 9:

The Bansal publication discloses:

- wherein the managing step comprises: issuing a life cycle command from a management

program loaded on the server; receiving the life cycle command in the OSGi bundle; and

executing the life cycle command to manage the life cycle of the native application (par.

0139, lines 1-8):

Art Unit: 2191

Per Claim 10:

The Bansal publication discloses:

- wherein the executing step comprises the OSGi bundle instructing an agent to manage the

Page 14

life cycle of the native application based on the life cycle command (par. 0139, lines 1-8).

Per Claim 11:

The Bansal publication discloses:

- wherein the agent is a WIN-32 agent within the OSGi environment (par. 0040, lines 1-10).

Per Claim 12:

This is another version of the claimed method discussed above, claim 3, wherein all claim

limitations also have been addressed and/or covered in cited areas as set forth above. Thus,

accordingly, this claim is also anticipated by Bansal.

Per Claim 13:

This is a system version of the claimed method discussed above, claim 1, wherein all

claim limitations also have been addressed and/or covered in cited areas as set forth above.

Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 14:

Art Unit: 2191

The Bansal publication discloses:

- wherein the system for controlling native applications is embodied within a management

program loaded on a server (par. 0139, lines 1-8).

Per Claim 15:

The Bansal publication discloses:

- wherein control system controls issues a life cycle command to manage a life cycle of the

native application, wherein the life cycle command is received by the OSGi bundle on the

client, and wherein the OSGi bundle instructs an agent within the OSGi environment to

carry out the command (par. 0139, lines 1-8).

Per Claim 16:

This is a system version of the claimed method discussed above, claim 3, wherein all

claim limitations also have been addressed and/or covered in cited areas as set forth above.

Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 17:

The Bansal publication discloses:

Page 15

Art Unit: 2191

- further comprising a deployment system for deploying the OSGi bundle is deployed within the native environment (par. 0041, lines 1-4).

Per Claim 18:

The Bansal publication discloses:

- wherein the deployment system is loaded on the server (par. 0139, lines 1-8).

Per Claim 19:

The Bansal publication discloses:

- wherein the deployment system is loaded on the client device (par. 0041, lines 1-4).

Per Claim 20:

The Bansal publication discloses:

- further comprising a removal system for removing the native application from the OSGi bundle after deployment within the native environment (par. 0144, lines 1-6).

Per Claim 21:

Art Unit: 2191

- wherein the removal system is loaded on the server (par. 0139, lines 1-8).

Per Claim 22:

The Bansal publication discloses:

- wherein the removal system is loaded on the client device (par. 0041, lines 1-4).

Per Claim 23:

This is a system version of the claimed method discussed above, claim 8, wherein all claim limitations also have been addressed and/or covered in cited areas as set forth above.

Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 24:

The Bansal publication discloses:

- wherein the system for controlling native applications is embodied within a management program loaded on a server (par. 0139, lines 1-8).

Per Claim 25:

The Bansal publication discloses:

Page 17

Art Unit: 2191

- wherein the means for managing issues a life cycle command to manage a life cycle of the

native application, wherein the life cycle command is received by the OSGi bundle on the

client, and wherein the OSGi bundle instructs an agent within the OSGi environment to

carry out the command (par. 0139, lines 1-8).

Per Claim 26:

This is a system version of the claimed method discussed above, claim 12, wherein all

claim limitations also have been addressed and/or covered in cited areas as set forth above.

Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 27:

This is a program product version of the claimed method discussed above, claim 1,

wherein all claim limitations also have been addressed and/or covered in cited areas as set forth

above. Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 28:

The Bansal publication discloses:

- wherein the program product is embodied within a management program loaded on a

server (par. 0139, lines 1-8).

Per Claim 29:

Art Unit: 2191

The Bansal publication discloses:

- wherein the program code for controlling issues a life cycle command to manage a life

Page 19

cycle of the native application, wherein the life cycle command is received by the OSGi

bundle on the client, and wherein the OSGi bundle instructs an agent within the OSGi

environment to carry out the command (par. 0139, lines 1-8).

Per Claim 30:

This is a program product version of the claimed method discussed above, claim 3,

wherein all claim limitations also have been addressed and/or covered in cited areas as set forth

above. Thus, accordingly, this claim is also anticipated by Bansal.

Per Claim 31:

The Bansal publication discloses:

- further comprising program code for deploying the OSGi bundle within the native

environment (par. 0041, lines 1-4).

Per Claim 32:

The Bansal publication discloses:

- wherein the program code for deploying is loaded on the server (par. 0139, lines 1-8).

Art Unit: 2191

Per Claim 33:

The Bansal publication discloses:

- wherein the program code for deploying is loaded on the client device (par. 0041, lines 1-4).

Per Claim 34:

The Bansal publication discloses:

- further comprising program code for removing the native application from within OSGi bundle after the OSGi bundle is deployed within the native environment (par. 0144, lines 1-6).

Per Claim 35:

The Bansal publication discloses:

- wherein the program code for removing is loaded on the server (par. 0139, lines 1-8).

Per Claim 36:

Art Unit: 2191

Page 21

- wherein the program code for removing is loaded on the client device (par. 0041, lines 1-4).

Conclusion

31. Any inquiry concerning this communication from the examiner should be directed to Qamrun Nahar whose telephone number is (571) 272-3730. The examiner can normally be reached on Mondays through Fridays from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wei Y Zhen, can be reached on (571) 272-3708. The fax phone number for the organization where this application or processing is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2100 Group receptionist whose telephone number is 571-272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

QN

May 13, 2007

May thetwo